

MO-655

2-NEEDLE, 2/3/4/5 THREAD OVERLOCK SEWING
MACHINE WITH CHAIN STITCH, BUILT-IN
ROLLED HEMMING AND DIFFERENTIAL FEED

MO-654DE

2-NEEDLE, 2/3/4 THREAD OVERLOCK SEWING
MACHINE WITH BUILT-IN ROLLED HEMMING
AND DIFFERENTIAL FEED

MO-654

2-NEEDLE, 2/3/4 THREAD OVERLOCK SEWING
MACHINE WITH BUILT-IN ROLLED HEMMING

JUKI®

HOME SERGERS

**Juki Lock Home Sergers Are Easy To Use,
And Are Known For Their
High Quality Sewing Performance**



Perfect For Clothing, Home Decorating & Crafts

www.promelectroavtomat.ru

Juki's Sophisticated Sergers—




Stitch Variations

	6mm 5 Thread Chainstitch	6mm 4 Thread Chainstitch	6mm 4 Thread Chainstitch	6mm 3 Thread Mock Safety*	4mm 3 Thread Overlock	6mm 3 Thread Overlock	4mm 2 Thread Overcast	3 Thread Rolled Hem	2 Thread Rolled Hem	6mm 3 Thread Flatlock*	6mm 2 Thread Flatlock*
MO-655											
MO-654DE	n/a	n/a	n/a								
MO-654	n/a	n/a	n/a								


www.promelectroavtomat.ru

* 4mm stitch also possible


Juki Technology Makes Serging Accurate And Easy



Sewing Width Gauge takes the guesswork out of seam allowances, and is conveniently located on the guard cover.




Sewing Light is placed to give optimum lighting to the fabric and needle areas, for easy threading and accurate serging.



Lower Looper Threader allows for easy threading in seconds. Simply slide your thread into a slot and pop the looper back in place.




Automatic Rolled Hemming can now be created quickly and easily with built-in fingertip controls. There is no need to change the foot or plate.



Color Coded Threading Guides throughout the machine make threading easy and efficient. Special guides lock your thread into the tensions for consistent stitching.




Multi-Purpose Foot comes equipped with a slotted tape guide which can be used to sew woven tape, elastic, sequins and ribbon.



Lower Knife Adjustment Knob adjusts the lower knife quickly to change the width of fabric in the seam allowance, for perfect seams and rolled edges.

Electronic Foot Control



Heavy Duty Knife System operates with a dedicated drive to assure consistent and easy cutting of light to heavy weight fabrics.




Upper and Lower Loopers are industrial strength to handle your toughest jobs and accommodate a full range of decorative threads.



Chain Looper Threader is out of the way when serging. To thread, simply push a button—the looper snaps down for easy threading.

□ ATTACHMENTS TO ENHANCE YOUR SEWING CAPABILITIES




Elasticator Presser Foot



Piping Presser Foot



Beading Presser Foot



Auxiliary Bed
Supplied As Standard
For Use With MO-655



Blind Stitch Presser Foot



Cording Presser Foot



Gathering Presser Foot



For Use With MO-654DE/MO-655



□ FEATURES AT A GLANCE

ITEM	MO-654	MO-654DE	MO-655
Number of Threads	2/3/4 Threads		2/3/4/5 Threads
Needle	Household Machine Size 11 or 14		
Overlocking Width	Left Needle: 6mm/Right Needle: 4mm Rolled Hem: 2mm		Chain Needle: 10mm Left Needle: 6mm/Right Needle: 4mm Rolled Hem: 2mm
Stitch Length	1 to 4mm (Standard: 2.5mm)/Rolled Hem: 1 to 1.5mm		
Differential Feed	n/a	0.7 to 2.0 Ratio	
Tension	Industrial Type Dial/1 Rotation		
Built-In Rolled Hemming	Right (Narrow) or Left (Wide) Needle/2 or 3 Thread		
Flatlock	Right or Left Needle/2 or 3 Thread		2 or 3 Thread
Universal Presser Foot	Tape, Ribbon, Narrow Elastic Application		
Presser Foot Lift	5mm		
Sewing Speed	Maximum 1,500 s.p.m.		
Dimensions	270mm (W) x 345mm (D) x 295mm (H)		315mm (W) x 345mm (D) x 295mm (H)
Weight	7 Kg (15 lbs.)		7.2 Kg (15.5 lbs.)

JUKI®

JUKI CORPORATION
HOUSEHOLD SEWING MACHINE DIVISION
8-2-1, Kokuryo-cho, Chofu-shi,
Tokyo 182-8655
Phone: 03-3480-5034
Fax: 03-3480-5037

www.promelectroavtomat.ru